AKEMI®

Tel. +49(0)911-642960

according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Radiator Leak Sealer**

90101, 90104 Article number:

 1.2 Relevant identified uses of the substance or mixture and

uses advised against No further relevant information available.

Application of the substance / the

Sealant mixture

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Lechstrasse 28 Fax. +49(0)911-644456 D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

from: Laboratory

· 1.4 Emergency telephone

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre

Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Void Hazard pictograms Void Signal word Void

· Hazard-determining components

of labelling: Not applicable.

· Hazard statements Void

· Additional information: Safety data sheet available on request.

The product does not contain any organic halogen compounds (AOX), nitrates, · 2.3 Other hazards

heavy metal compounds or formaldehydes.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Mixture of substances listed below with nonhazardous additions. Description:

Dangerous components:

CAS: 107-21-1 ethanediol

EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28

♦ STOT RE 2, H373 Acute Tox. 4, H302 1-5%

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

No special measures required.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

 After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a

doctor.

· After swallowing: Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and

delaved No further relevant information available.

· 4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

 Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

5.2 Special hazards arising from

the substance or mixture No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

· 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by

storerooms and receptacles: No special requirements.

(Contd. on page 3)



(Contd. of page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer

 Information about storage in one common storage facility:

· Further information about storage

conditions: · 7.3 Specific end use(s) Not required.

Protect from frost.

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m3, 20** ppm

Sk *particulate **vapour

· DNELs

107-21-1 ethanediol

DNEL (Kurzzeit-akut) 0.04 mg/kg bw/day (ARB) Dermal DNEL (Langzeit-wiederholt) 106 mg/kg bw/day (ARB) 53 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 35 mg/m³ Air (ARB) 7 mg/m3 Air (BEV)

· PNECs

107-21-1 ethanediol

PNEC (wässrig) 199.5 mg/l (KA)

1 mg/l (MW) 10 mg/l (SW) 10 mg/I (WAS)

1.53 mg/kg Trockengew (BO) PNEC (fest)

> 3.7 mg/kg Trockengew (MWS) 37 mg/kg Trockengew (SWS)

> > Not required.

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

measures:

Do not eat, drink, smoke or sniff while working.

Clean skin thoroughly immediately after handling the product. Immediately remove all soiled and contaminated clothing

· Respiratory protection:

· Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL

GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer

(Contd. of page 3)

protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).



Protective gloves

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

<u>Material of gloves</u>
 Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material Value for

Value for the permeation: Level \leq 6, 480 min

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

Not applicable

 For the permanent contact gloves made of the following materials are

suitable:

Nitrile rubber, NBR

Camatril (KCL, Art_No. 730, 731, 732, 733)

Dermatril (Art_No. 740, 741, 742)

Chloroprene rubber, CR

Camapren (KCL, Art_No. 720, 722, 726)

 As protection from splashes gloves made of the following materials are

suitable:

Nitrile rubber, NBR

Dermatril (KCL, Art_No. 740, 741, 742) Camatril (KCL, 730, 731, 732, 733)

· Not suitable are gloves made of

the following materials:

Leather gloves

Strong material gloves

• Eye protection: Goggles recommended during refilling

- Body protection: Apron

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Light brown

Odour: Characteristic

· pH-value at 20 °C: ~ 7.5

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 197 °C

· Flash point: Not applicable.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer		
		(Contd. of page 4)
· Ignition temperature:	410 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.03 g/cm³	
· Solubility in / Miscibility with water:	Fully miscible.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents:	5.0 %	
Solids content: • 9.2 Other information	95.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

 Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions

No dangerous reactions known.

• 10.4 Conditions to avoid • 10.5 Incompatible materials: No further relevant information available. No further relevant information available.

· 10.6 Hazardous decomposition

products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

107-21-1 ethanediol						
Oral	LD50	7,712 mg/kg (rat)				
Dermal	LD50	7,712 mg/kg (rat) 3,500 mg/kg (mouse) 9,530 mg/kg (rbt)				
		9,530 mg/kg (rbt)				
Inhalative	LC50	>2.5 mg/l (rat)				

· Primary irritant effect:

Skin corrosion/irritation
 Serious eye damage/irritation
 Respiratory or skin sensitisation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

107-21-1 ethanediol

EC50/96h 6,500-7,500 mg/l (Selenastrum capricornutum)

IC50/72h >10,000 mg/l (green alge)
EC50/48h >10,000 mg/l (daphnia magna)
EC50/16h 10,000 mg/l (pseudomonas putida)

LC50/96h >10,000 mg/l (piscis)

18,500 mg/l (Oncorhynchus mykiss) 8,050 mg/l (pimephales promelas) >18,500 mg/l (Salmo gairdneri)

12.2 Persistence and

<u>degradability</u>
No further relevant information available.

12.3 Bioaccumulative potential
No further relevant information available.

• 12.3 Bioaccumulative potential • 12.4 Mobility in soil No further releva

No further relevant information available.

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

• Recommendation On the basis of the necessary technical regulations and after consultation with

the disposal agent and the relevant authorities, can be disposed of with

domestic waste or incinerated with domestic waste.

Smaller quantities can be disposed of with household waste.

· European waste catalogue

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST

16 03 00 off-specification batches and unused products

16 03 06 organic wastes other than those mentioned in 16 03 05

· Uncleaned packaging:

· Recommendation: Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer

(Contd. of page 6)

٠	<u>14.3</u>	Trans	port	hazard	class	es))

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

- ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

• <u>Transport/Additional information:</u> Not dangerous according to the above specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be

observed.

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

. VOC EU 51.5 g/l

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
 H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Recommended restriction of use refer to Technical Data Sheet (TDS)

Department issuing SDS: Laboratory

· Contact: Dieter Zimmermann

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2019 Version number 8 Revision: 25.04.2019

Trade name: Radiator Leak Sealer

· <u>Sources</u> REACH directive 1907/2006/EC

(Contd. of page 7)

• * Data compared to the previous version altered.

Adaptation in accordance with REACH directive 1907/2006/EC

GB